BBA

Gene Structure and Expression

Vol. 1171, 1993

Cumulative Contents

Regular Papers

Characterization of recombinant human and rat pancreatic phospholipases A_2 secreted from *Saccharomyces cerevisiae*: difference in proteolytic processing
A. Kanda, M. Tamaki, E. Nakamura, H. Teraoka and N. Yoshida (Japan) 1

Somatic hypermutagenesis in immunoglobulin genes. II. Influence of neighbouring base sequences on mutagenesis
I.B. Rogozin and N.A. Kolchanov (Russian Federation) 11

Gender related differences in the expression and characteristics of glutathione *S*-transferases of human colon
S.S. Singhal, M. Saxena, S. Awasthi, H. Ahmad, R. Sharma and Y.C. Awasthi (USA) 19

Arachidonic acid regulates unsaturated fatty acid synthesis in lymphocytes by inhibiting stearoyl-CoA desaturase gene expression
P.W. Tebbey and T.M. Buttke (USA) 27

Stress factors affecting expression of O^6-methylguanine-DNA methyltransferase mRNA in rat hepatoma cells
G. Fritz and B. Kaina (Germany) 35

Involvement of AP1 and PEA3 binding sites in the regulation of murine tissue inhibitor of metalloproteinases-1 (TIMP-1) transcription
D.R. Edwards, H. Rocheleau, R.R. Sharma, A.J. Wills, A. Cowie, J.A. Hassell and J.K. Heath (Canada, UK) 41

Interaction of human and *Escherichia coli* $tRNA^{Phe}$ with human 80S ribosomes in the presence of oligo- and polyuridylate templates
D.M. Graifer, S.Y. Nekhai, D.A. Mundus, O.S. Fedorova and G.G. Karpova (Russian Federation) 56

P-Glycoprotein genes in the winter flounder, *Pleuronectes americanus*: isolation of two types of genomic clones carrying 3′ terminal exons
K.M. Chan, P.L. Davies, S. Childs, L. Veinot and V. Ling (Canada) 65

Cyclic AMP regulates expression of the rat gene for steroid 17α-hydroxylase/C_{17-20} lyase *P*-450 (CYP17) in rat Leydig cells
T.F. Nason, X.-G. Han and P.F. Hall (Australia) 73

The unique structure of the *Paramecium caudatum* hemoglobin gene: the presence of one intron in the middle of the coding region
K. Yamauchi, T. Ochiai and I. Usuki (Japan) 81

Short Sequence-Papers

Cloning of the cDNA for U1 small nuclear ribonucleoprotein particle 70K protein from *Arabidopsis thaliana*
A.S.N. Reddy, A.J. Czernik, G. An and B.W. Poovaiah (USA) 88

Cloning of the Cα catalytic subunit of the bovine cAMP-dependent protein kinase
S. Wiemann, V. Kinzel and W. Pyerin (Germany) 93

The two splice variants of collagen XII share a common 5′ end
J. Trueb and B. Trueb (Switzerland) 97

Nucleotide sequence of rat erythropoietin
M. Nagao, H. Suga, M. Okano, S. Masuda, H. Narita, K. Ikura and R. Sasaki (Japan) 99

Molecular cloning and sequence analysis of mouse NADPH-cytochrome *P*-450 oxidoreductase
S. Ohgiya, T. Goda, K. Ishizaki, T. Kamataki and N. Shinriki (Japan) 103

Nucleotide sequence of hamster spermidine/spermine-N^1-acetyltransferase cDNA
A.E. Pegg, B.A. Stanley, L. Wiest and R.A. Casero, Jr. (USA) 106

Nucleotide sequence of the 5′ end including the initiation codon of cDNA for the E1α subunit of the human branched chain α-ketoacid dehydrogenase complex
M.C. McKean, K.A. Winkeler and D.J. Danner (USA) 109

Cloning and characterization of the *secY* gene from the cyanobacterium *Synechococcus* PCC7942
M. Nakai, A. Tanaka, T. Omata and T. Endo (Japan) 113

continued

cDNA sequence of the small subunit of the hamster ribonucleotide reductase
M.M. Chaudhuri, P.N. Tonin and P.R. Srinivasan (USA, Canada) 117
Identification of an abundant monkey epididymal transcript encoding a homologue of human CAMPATH-1 antigen precursor
A.C.F. Perry, R. Jones and L. Hall (UK) 122
Cloning and nucleotide sequence of the cDNA encoding human erythrocyte-specific AMP deaminase
Y. Yamada, H. Goto and N. Ogasawara (Japan) 125

Rapid Report

rel, NFKB, and the Brachyury T gene
F. Perrin-Schmitt (France) 129

Regular Papers

Species and tissue specificity of mammalian GTP cyclohydrolase I messenger RNA
M. Gütlich, K. Schott, T. Werner, A. Bacher and I. Ziegler (Germany) 133
Molecular cloning of monkey liver cytochrome *P*-450 cDNAs: similarity of the primary sequences to human cytochromes *P*-450
M. Komori, O. Kikuchi, T. Sakuma, J. Funaki, M. Kitada and T. Kamataki (Japan) 141
Protein–DNA interactions in the 5′-flanking region of the bovine pancreatic ribonuclease gene
A. Carsana, M. Merola, C. Costanzo, L. Maffei, P.M.J. Lievens, A. Furia and M. Palmieri (Italy) 147
Sequences of the swine 21-hydroxylase gene (CYP21) and a portion of the opposite-strand overlapping gene of unknown function previously described in human
C. Burghelle-Mayeur, C. Geffrotin and M. Vaiman (France) 153
Purification of a telomere-binding protein from *Physarum polycephalum*
J.S. Coren and V.M. Vogt (USA) 162
Expression and regulation of cytochrome *P*-450I genes (*CYP*1A1 and *CYP*1A2) in the rat alimentary tract
P.G. Traber, W.M. McDonnell, W. Wang and R. Florence (USA) 167
Purification of ribonucleoproteins by a novel approach: isolation of the SSB1 ribonucleoprotein from yeast and demonstration that it has no role in mRNA splicing
M.E. Cusick (USA) 176
Interaction with the nuclear matrix of a chimeric construct containing a replication origin and a transcription unit
J.N. Adom, F. Gouilleux and H. Richard-Foy (France) 187

Short Sequence-Papers

Isolation and characterization of the gene encoding gluconolactonase from *Zymomonas mobilis*
V. Kanagasundaram and R. Scopes (Australia) 198
Cloning and sequencing of a cDNA for the δ-subunit of photosynthetic ATP-synthase (EC 3.6.1.34) from pea *(Pisum sativum)*
J.A. Hoesche and R.J. Berzborn (Germany) 201
Sequence analysis of cucumber cotyledon ribulosebisphosphate carboxylase/oxygenase activase cDNA
R. Preisig-Müller and H. Kindl (Germany) 205
Sequence characterization of a sheep cDNA for antithrombin III
R.W.L.M. Niessen, A. Sturk, P.L. Hordijk, F. Michiels and M. Peters (Netherlands) 207
AAT1, a gene encoding a mitochondrial aspartate aminotransferase in *Saccharomyces cerevisiae*
P.J. Morin, G.S. Subramanian and T.D. Gilmore (USA) 211
Nucleotide sequence of a complementary DNA for human ST2
S.-i. Tominaga, T. Yokota, K. Yanagisawa, T. Tsukamoto, T. Takagi and T. Tetsuka (Japan) 215
Molecular cloning and characterization of a mouse α_2C2 adrenoceptor subtype gene
W.-M. Chen, A.C. Chang, B.-J. Shie, Y.-H. Chang and N.-C.A. Chang (Taiwan, ROC) 219
Molecular characterization of a putative peroxidase gene of *Drosophila melanogaster*
S.W. Ng, M. Wiedemann, R. Kontermann and G. Petersen (Germany) 224
Nucleotide and (derived) amino acid sequence of a novel peptide from a rat (hypercalcemic) Leydig cell tumor
S.A. Rabbani, T. Yasuda, H.P.J. Bennett, G.N. Hendy and D. Banville (Canada) 229
Protein phosphatase X has been highly conserved during mammalian evolution
N.D. Brewis and P.T.W. Cohen (UK) 231

Erratum 235

Titles of related papers in other sections 237

Regular Papers

Developmental expression of chicken antithrombin III is regulated by increased RNA abundance and intracellular processing
D.L. Amrani, J. Rosenberg, F. Samad, G. Bergtrom and D.K. Banfield (USA, Canada) 239
Isolation and characterization of an antifreeze protein precursor from transgenic *Drosophila*: evidence for partial processing

I.D. Peters, D.E. Rancourt, P.L. Davies and V.K. Walker (Canada) 247

Cloning and characterization of an α-amylase gene from *Streptomyces lividans*
L.-S. Tsao, L.-L. Lin, J.-C. Chen, J.-H. Chen and W.-H. Hsu (Taiwan, R.O.C.) 255

Induction of peroxisomal acyl-CoA oxidase by 3-thia fatty acid, in hepatoma cells and hepatocytes in culture is modified by dexamethasone and insulin
H.N. Sørensen, E. Hvattum, E.J. Paulssen, K.M. Gautvik, J. Bremer and Ø. Spydevold (Norway) 263

Molecular cloning and characterization of a major allergen (*Myr p 1*) from the venom of the Australian jumper ant, *Myrmecia pilosula*
G.R. Donovan, B.A. Baldo and S. Sutherland (Australia) 272

NAD^+-dependent methylenetetrahydrofolate dehydrogenase-cyclohydrolase: detection of the mRNA in normal murine tissues and transcriptional regulation of the gene in cell lines
K.G. Peri and R.E. MacKenzie (Canada) 281

Influence of defects on the electrophoretic, thermodynamic and dielectric properties of a 21 base pair DNA in solution
A. Bonincontro, M. Matzeu, F. Mazzei, A. Minoprio and F. Pedone (Italy) 288

Rapid Report

Purification and characterisation of *Bst*LVI restriction endonuclease, a thermostable isoschizomer of *Cla*I from *Bacillus stearothermophilus* LV
C. Lobos and C. Vásquez (Chile) 295

Short Sequence-Papers

A yeast gene (*BLH1*) encodes a polypeptide with high homology to vertebrate bleomycin hydrolase, a family member of thiol proteinases
U. Magdolen, G. Müller, V. Magdolen and W. Bandlow (Germany) 299

Nucleotide sequence of the cDNA encoding nucleoside diphosphate kinase II from spinach leaves
J. Zhang, T. Nomura, K. Yatsunami, A. Honda, Y. Sugimoto, T. Moriwaki, J. Yamamoto, M. Ohta, T. Fukui and A. Ichikawa (Japan) 304

The POU-domain protein Oct-1 is widely expressed in adult rat organs
F. Kambe, S. Tsukahara, T. Kato and H. Seo (Japan) 307

Nucleotide sequence of a mouse lamin A cDNA and its deduced amino acid sequence
N. Nakajima and T. Sado (Japan) 311

Molecular cloning of cDNA encoding the phenol/aryl form of sulfotransferase (mST_{p1}) from mouse liver
A.-N.T. Kong, M. Ma, D. Tao and L. Yang (USA) 315

Molecular cloning of a mouse extracellular signal regulated kinase (erk-1)
B. Tanner and M. Mueckler (USA) 319

Nucleotide sequence of the gene for phenylalanine ammonia-lyase of rice and its deduced amino acid sequence
E. Minami and Y. Tanaka (Japan) 321

Cloning, sequencing and expression of the mouse mammalian *achaete-scute* homolog 1 (*MASH1*)
F. Franco del Amo, M. Gendron-Maguire, P.J. Swiatek and T. Gridley (USA) 323

Nucleotide and deduced amino acid sequence of porcine interleukin 4 cDNA derived from lamina propria lymphocytes
M. Bailey, A.C.F. Perry, P.W. Bland, C.R. Stokes and L. Hall (UK) 328

Cloning, sequence and structural features of a lipase from the antarctic facultative psychrophile *Psychrobacter immobilis* B10
J.L. Arpigny, G. Feller and C. Gerday (Belgium) 331

Structure and sequence of the calmodulin gene from *Neurospora crassa*
M.B. Melnick, C. Melnick, M. Lee and D.O. Woodward (USA) 334

Cloning and nucleotide sequence of the gene for dinitrogenase reductase (nifH) from the heterocyst-forming cyanobacterium *Anabaena* sp. L31
S.T. Murphy, D.M. Jackman and M.E. Mulligan (Canada) 337

Corrigendum 341

Cumulative Contents, Vol. 1171 343

Author Index 346